

90° 锁紧

叠 高 影 视
Dearkol Photographic
2025



叠
高
影
视
2024-2025

Dearkol®

余姚美铨影视器材有限公司
Yuyao Meking Photographic Equipment CO.,Ltd

邮箱: mekingphoto@126.com

E-mail: mekingphoto@126.com

网站: www.dearkol.com

http: //www.dearkol.com





朱聪 Tiger Zhu

简介

朱聪，美镗公司创始人，专业从事影视领域32年，对影视器材及配件有深刻理解与创新能力，并获得多项专利证书，其为人豁达大度，处事自然通达，对于工作一丝不苟，严谨有方，在生活上丰富爱好。

—— 朱聪 ——



| 公司简介 INTROOUCE

美镗影视器材是具有自主创新、研发、生产的技术型企业，生产的专业型灯架及摄影专业附件，深受专业摄影名家的推崇，产品远销欧美，亚洲等各个国家和地区，**QearK-L**® 是美镗旗下高端品牌。

产品质量保证

诚信是我们的承诺

创新是我们永远的追求。

MEKING PHOTOGRAPHIC EUIPMENT is a technology-based company, with independent innovation, research and development. The professional light stands and professional photographic accessories are praised by the professional photographers. Products are exported to many countries and regions in Europe, America, Asia and else. **QearK-L**® is high-end brand under Meking Company

Quality is our Sincerity

Integrity is our promise

Creative is always our pursuit.

所有产品按真实发货为准

* Pictures for reference only, subject to our existing products

Contents



配件
Accessory 01-16



灯架
Light Stand 17-34



天地撑杆
Auto Pole 35

斜臂杆
Boom Arm 36-37

三维手摇斜臂
Super Boom 38-39

二用斜臂脚架
Multiboom Stand 40-42



小型手摇架
Wind-Up Stand 43-45

中型手摇架
Wind Up Stand 46-47

重型影视手摇架
Super Wind Up Stand 48-51

叉式架组装配件
Truss Assembly Accessories 52



支撑斜臂灯架
Boom Arm Support 53



旗板
Flag 54

蝴蝶架
Butterfly Kit 55-58



苹果箱
Apple Box 59

推车
Cart & HandTruck 59-63



MB-01
1/4"铜粒
1/4"-20 Male Thread &
3/8"-16 Female Thread
0.02



MB-02
3/8"铜粒
3/8"-16 Male Thread &
1/4"-20 Female Thread
0.02



MB-03
1/4"-3/8"铜粒
1/4"-20 & 3/8"-16 Male
Threads
0.02



MB-03A
1/4"-1/4"铜粒
1/4"-20 & 1/4"-20 Male
Threads
0.02



MB-04
3/8"-3/8"铜粒
3/8"-16 Male Threads
0.02



MB-05
1/4"铜粒
1/4"-20 Male & 5/8" Pin
0.04



MB-06
28x65转换器
Twin 5/8" Female
L:65mm
0.08



MB-06A
28x65转换器
Twin 5/8" Female
L:65mm
0.08



MB-07
28x78转换器
5/8" Female to 11/16"
Female L:78mm
0.10



MB-07A
28x78转换器
5/8" Female to 11/16"
Female L:78mm
0.10



MB-08
接头
5/8" Receiver and
3/8" Stud
0.12



MB-09
16x90铝粒
1/4"-20 Female Thread &
5/8" Male Baby Pin L:90mm
0.02



MB-10
19x145铁粒
5/8" Stud
L:145mm
0.16



MB-17
16x125铁粒
5/8" Stud
L:125mm
0.16



MB-18
35x190铁粒
1 1/8" and 5/8" Junior
to Baby Pin L:190mm
0.62



M11-018
1/4接头
Male 1/4" Thread
with 5/8" Socket
0.09



M11-019
3/8接头
Male 3/8" Thread
with 5/8" Socket
0.10



TT-3348A
灯泡接头红
Bulb adapter with 1/4"-20
Female Thread
0.04



TT-3348B
灯泡接头蓝
Bulb adapter with 1/4"-20
Female Thread
0.04



TT-3348C
灯泡接头黑
Bulb adapter with 1/4"-20
Female Thread
0.04



MB-11
3"T字台
3" Baby Pin Wall Plate
0.46



MB-11A
斜字台
Cheapter Wall Plate
0.46



MB-12
6"T字台
6" Baby Pin Wall Plate
0.56



MB-13A
9"T字台
9" Baby Pin Wall Plate
0.68



M11-001
19x68MM顶粒
1/4"-20 & 3/8"-16 Male
Threads L:68mm
0.07



M11-015
灯架接头
1 1/8" & 5/8" Junior to
Baby Pin
0.55



M11-020
灯架平台接头
1 1/8" Male Stud
0.58



M11-007S
六角100MM顶粒
5/8" Pin & 5/8" Hex Stud
L:100mm
0.15



MB-13
8"T字台
Right Angle Baby Plate
0.68



MB-14
5/8"T字台
Baby 5/8" Locking Receiver
& Wall Plate
0.56



H-15912
1-1/8T字台
Junior wall plate
0.75



H-816
直角连接器
Right angle baby adapter
0.47



MB-33
顶粒
1/4"-20 Male Thread &
5/8" Baby Pin
0.12



MB-34
顶粒
3/8"-16 Female Thread &
5/8" Male Pin
0.09



MB-35
转换头
5/8" Receiver to 5/8" Pin
0.07



M11-036B
脚轮(25*25mm)
25/25 Locking Wheel Set
3.00



MB-16
连接器
5/8" Baby Socket to 1
1/8" Junior Stud
0.30



MB-21
转换接头
Baby Drop Pin 5/8" Pin
& 5/8" Receiver
0.32



MB-22
多功能夹
Clamp with Baby Pin 5/8" Pin & 1/4"-20
Female Max:Φ55mm
0.14



H-2816
转换接头
Baby Drop Pin 5/8" Receiver
to 1-1/8" Adapter
0.66



M11-050
有齿铁顶粒转换器
Swivel Umbrella Adapter
with Steel Stud
🔒 0.37



M11-050A
有齿铜顶粒转换器
Swivel Umbrella Adapter
with Copper Stud
🔒 0.32



MB-70
可转相机连接座
Swivel Camera Adapter
with 5/8" Receiver
🔒 0.67



M11-091
球体接头
Heavy Duty Swivel Adapter 5/8"
Pin and 5/8" Receiver
🔒 0.76 ⚙️ 10kg



M11-033E
C架横杆
C Stand Boom 1/4"-20 Male
& 3/8 Male Threads
L:120cm
🔒 0.86



M11-033H
短杆配夹黑色
20" Extension Arm
Black
🔒 1.19



M11-033HS
短杆配夹银色
20" Extension Arm
Silver
🔒 1.19



M11-033L
长杆配夹黑色
40" Extension Arm
Black
🔒 1.26



M11-033LS
长杆配夹银色
40" Extension Arm
Silver
🔒 1.26



M11-092
球体接头座
5/8" Baby Swivel with
Wall Plate
🔒 0.96



M11-100
转接头
Double Ball Joint Adapter 1/4"-20
Female & 3/8"-16 Female
Thread 5/8" Pin
🔒 0.50 ⚙️ 6kg



M11-101
转接头
Double Ball Joint Adapter 5/8"
Receiver & 1 1/8" Male Stud
🔒 0.76 ⚙️ 6kg



M11-114
接头
Scissor Mount for Drop
Ceiling 5/8" Pin
🔒 0.12



M11-103
六角延长杆
6" Extension Arm with Spigot 5/8"
Receiver 1/4"-20 Male & 3/8"-16
Male Threads
🔒 0.18



MB-32
万能夹延长杆
Offset Arm
🔒 0.42



MB-32A
万能夹延长杆
Offset Arm
🔒 0.72



MB-54
340mm直角连接杆
Offset Arm
🔒 0.60



H-5670
灯架转相机接头
Camera Mount 5/8" receiver
3/8" Male Thread
🔒 0.6



MB-36
灯架转相机接头
Camera mount
🔒 0.1



MB-37
灯架转相机接头
Camera Mount 5/8" receiver
1/4" Male Thread
🔒 0.1



MB-38
灯架转相机接头
Camera Mount 5/8" receiver
1/4" Male Thread
🔒 0.6



H-500
万能夹延长杆
Offset Arm
🔒 0.97



H-600
万能夹延长杆
Offset Arm
🔒 1.1



MB-25
不锈钢三叉
Foamcore fork with
5/8" & 15cm stud
🔒 0.38



MB-26
不锈钢四叉
Foamcore fork with
5/8" & 15cm stud
🔒 0.66



M11-035
万能夹+元饼
Grip Head with Super Clamp
Max.: Φ13-55mm
Ⓜ 1.00



M11-034A
双万用夹
Double Super Clamp
Max.: Φ13-55mm
Ⓜ 1.08



M11-034
万能夹
Super Clamp
Max.: Φ13-55mm
Ⓜ 0.58 Ⓣ 20kg



M11-034T
小s旋钮款
Super Clamp
Max.: Φ13-55mm
Ⓜ 0.58 Ⓣ 15kg



MB-45
笔记本底盘
Laptop Tray
Ⓜ 1.20



H-12101
万向显示器座
Wall plate with swivel adapter
Ⓜ 0.98



H-12100
万向显示器座
Wall plate with swivel adapter
Ⓜ 0.33



H-12100A
万向显示器座
Wall plate with swivel adapter
Ⓜ 0.4



M11-034S
银色万能夹
Super Clamp
Max.: Φ13-55mm
Ⓜ 0.58 Ⓣ 20kg



MB-47S
泡沫夹
Foamcore Clamp
Ⓜ 0.74



MB-48S
泡沫夹
Foamcore Clamp
Ⓜ 1.0



MB-42
魔术臂
Articulated Arm
Ⓜ 1.00 Ⓣ 4kg




MB-42A
魔术臂
Articulated Arm
Ⓜ 1.10 Ⓣ 4kg



MB-42B
魔术臂
Articulated Arm
Ⓜ 1.00 Ⓣ 4kg



M11-168
11"魔术臂
11" Articulated Arm
Ⓜ 0.28



MB-24
大方头
Grip head
Ⓜ 2.22



MB-53
Φ42-Φ50管用夹
Coupler, Φ42-Φ50mm
Ⓜ 6.40



M11-033
方头圆柄
Boom ClampTube
Diameter: 8/10/12/16mm
Ⓜ 0.60



M11-071
连接板
Camera Platform 1/4"-20 Camera
Screw 5/8" Receiver
Ⓜ 0.16



M11-068
7"魔术臂
7" Articulated Arm
Ⓜ 0.25



M11-069
11"魔术臂
11" Articulated Arm
Ⓜ 0.26



M11-069A
11"魔术臂
11" Articulated Arm
Ⓜ 0.26



M11-201
A型小夹
4" A Clamp
0.08



M11-202
A型中夹
6" A Clamp
0.18



M11-203
A型大夹
9" A Clamp
0.42



M11-204
中型泡沫夹
Clamp
0.44



M11-060
大夹子
Large Clip Clamp 5/8" Receptor
and 3/8"-16 Female Thread
0.25



M11-075
老鹰夹
Adjustable Gaffer Clamp 5/8"
Pin & 5/8" Receiver
Max : Φ 25-65mm
0.72 5kg



MB-39
可转头大夹子
Swiveling Pipe Clamp
Max : Φ 28-78mm
1.86



M11-076
鳄鱼夹
Pelican Gaffer Grip 5/8"
Pin 42/64" Stud
Max : Φ 15-80mm
1.08 15kg



M11-205
A型小夹
4" A Clamp
0.20



M11-206
A型中夹
6" A Clamp
0.30



M13-014
 Φ 35- Φ 50管夹
Coupler, Φ 35- Φ 50mm
1.1 300kg



M13-010
 Φ 35- Φ 50管夹
Coupler with 5/8" stud,
 Φ 35- Φ 50mm
0.50 100kg



M11-095
C型大夹子
PiPe Clamp 5/8"
Max : Φ 16-52mm
0.84 100kg



M11-095A
C型大夹子
PiPe Clamp 1/2-13
Max : Φ 16-52mm
0.9 100kg



MB-55
C型大夹子
PiPe Clamp 5/8"
Max : Φ 16-52mm
0.92 300kg



M11-038
多功能夹
Pipe Clamp with 5/8" Pin
Max : Φ 16-50mm
0.40 20kg



M13-2821
 Φ 35- Φ 50管夹
Coupler with 5/8" stud,
 Φ 35- Φ 50mm
0.70 30kg



M13-010A
 Φ 35- Φ 50管夹
Coupler, Φ 35- Φ 50mm
0.50 200kg



M13-011A
 Φ 35- Φ 50管夹
Coupler, Φ 35- Φ 50mm
0.80 300kg



M13-013
 Φ 35- Φ 50管夹+圆饼
Coupler with grip head
 Φ 35- Φ 50mm
1.0 20kg



MB-28
安全圈
Safety Cable
18" x 1.5mm
0.24 10kg



MB-29
安全圈
Safety Cable
32" x 1.5mm
0.26 10kg



MB-30
安全圈
Safety Cable
32" x 3.0mm
0.52 20kg



MB-31
安全圈
Safety Cable
41" x 5.0mm
1.45 40kg



M11-078F
180MM迷你平口夹
Mini Clamp
12-60mm
0.20 5kg



M11-078A
200MM长平夹
End Jaw Clamp with 5/8" Pin
& Hex Socket 16-50mm
0.70 40kg



M11-078B
320mm长平夹
End Jaw Vise Grip 5/8" Pin
16-150mm
0.85 30kg



H-001
多灯头支架
5/8" socket x1 5/8" stud x3
Length:50cm, 25x25mm
1.33



M11-078E
250mm长平夹
End Jaw Clamp with 5/8" Pin
& Hex Socket 16-80mm
0.70 40kg



M11-078C
420mm长平夹
End Jaw Clamp with 5/8" Pin
& Hex Socket 16-265mm
0.96 25kg



M11-078D
320mm长平夹
End Jaw Clamp with 5/8" Pin
& Hex Socket 16-170mm
0.85 30kg



H-002
多灯头支架
5/8" socket x3 5/8" stud x1
Length:50cm, 25x25mm
1.42



H-004
多灯头支架
5/8" socket x1 5/8" stud x5
Length:75cm, 25x25mm
1.94



M11-036B
脚轮(25*25mm)
25/25 Locking Wheel Set
3.78



M11-036C
魔术腿用脚轮(25/30mm)
25/30 Locking Wheel Set
2.30



M11-036F
重型钢腿脚轮30x30mm
Combo Stand Locking Wheel Set 30x30mm
9.0



H-004B
多灯头支架
5/8" socket x1 5/8" stud x5
Length:75cm, 20x40mm
2.04





H-003
多灯头支架
5/8" socket x1 5/8" stud x4
Length:60cm, 25x25mm
1.65



H-005
多灯头支架
5/8" socket x5 5/8" stud x1
Length:75cm, 25x25mm
2.54

H-005A
多灯头支架
Junior Multiple Light Fixture
Length:77cm, 30x30mm
3.7



H-013
多灯头支架
Multiple light fixture
Length:50.5cm, 30x30mm
1.36



H-014
多灯头支架
Multiple light fixture
Length:50.5-73.0cm, 30x30/25x25mm
2.0



H-015
偏移杆
Multiple light fixture
Length:53.0cm, 20x40mm
1.7



H-015A
偏移杆
Multiple light fixture
Length:51-72cm, 30x30/25x25mm
2.38



H-006
旗板支架
Photo Flag Arm
⌀ 1390mm Ⅲ 890mm ④ 4.65



H-007
旗板支架
Photo Flag Arm
⌀ 1150mm Ⅲ 800mm ④ 2.48



H-008
电影灯旗板支架
Eagle Eye
⌀ 800mm Ⅲ 640mm ④ 0.88



吊杆
Telescoping Hangers



H-009 ⌀ 1500mm Ⅲ 890mm ④ 3.20



H-010 ⌀ 1900mm Ⅲ 1090mm ④ 3.90



H-011 ⌀ 2500mm Ⅲ 1290mm ④ 4.50



H-009A ⌀ 1500mm Ⅲ 890mm ④ 3.20



H-010A ⌀ 1900mm Ⅲ 1090mm ④ 3.90



H-011A ⌀ 2500mm Ⅲ 1290mm ④ 4.50



H-009C ⌀ 1500mm Ⅲ 890mm ④ 3.60



H-010C ⌀ 1900mm Ⅲ 1090mm ④ 4.30



H-011C ⌀ 2500mm Ⅲ 1290mm ④ 4.90



压块式锁紧



H-009D ⌀ 1500mm Ⅲ 890mm ④ 3.20



H-010D ⌀ 1900mm Ⅲ 1090mm ④ 3.90



H-011D ⌀ 2500mm Ⅲ 1290mm ④ 4.50



H-009E ⌀ 1500mm Ⅲ 890mm ④ 3.20



H-010E ⌀ 1900mm Ⅲ 1090mm ④ 3.90



H-011E ⌀ 2500mm Ⅲ 1290mm ④ 4.50



H-009F ⌀ 1500mm Ⅲ 890mm ④ 3.60



H-010F ⌀ 1900mm Ⅲ 1090mm ④ 4.30



H-011F ⌀ 2500mm Ⅲ 1290mm ④ 4.90



拉环式锁紧



H-016
多灯头接头
Baby Adapter
④ 0.6



H-09B
挂钩座
Telescoping Hanger Mount
④ 0.82



H-017A
吊杆
Baby Stand Extension
Length:30cm
④ 0.5


H-017B
吊杆
Baby Stand Extension
Length:45cm
④ 0.65

H-017C
吊杆
Baby Stand Extension
Length:60cm
④ 0.8

H-017D
吊杆
Baby Stand Extension
Length:75cm
④ 0.95



M15-50
撑杆头(45-50mm)
Lighting Mount
3.95




地灯架

MODEL NO.	L-100
最低高度	150mm
最高高度	150mm
收缩高度	333mm
净重	0.82kg
SECTION	1
管径	/
LEG脚管	4x24mm
承重	5kg
包装	20pcs
展开圆	680mm



DK-100
灯头吊杆
Boom Connector
5.30



MODEL NO.	L-2000D
最低高度	590mm
最高高度	2150mm
收缩高度	590mm
净重	1.50kg
SECTION	4
管径	19,22.4,26,29.5
LEG脚管	11x14mm
承重	5kg
包装	12pcs
展开圆	1000mm



MODEL NO.	L-2000E
最低高度	590mm
最高高度	2150mm
收缩高度	590mm
净重	1.50kg
SECTION	4
管径	19,22.4,26,29.5
LEG脚管	11x14mm
承重	5kg
包装	12pcs
展开圆	1000mm





MODEL NO.	LT-1700
📏	550mm
📏	1700mm
📏	550mm
📏	1.4kg
SECTION	4
📏	19,22.4,26,29.5
LEG	6x15mm
⬇️	3kg
📦	10pcs
📏	1040mm



MODEL NO.	LT-2000A
📏	485mm
📏	2000mm
📏	485mm
📏	1.25kg
SECTION	5
📏	13,16,19,22,25
LEG	6x15mm
⬇️	2.5kg
📦	12pcs
📏	980mm



MODEL NO.	LT-2200FP	LT-2400FP
📏	785mm	840mm
📏	2200mm	2400mm
📏	680mm	735mm
📏	1.72kg	1.87kg
SECTION	4	4
📏	19,22.4,26,29.5	19,22.4,26,29.5
LEG	22	22
⬇️	3kg	3kg
📦	10pcs	6pcs
📏	760mm	940mm

MODEL NO.	LT-2800FP
📏	960mm
📏	2800mm
📏	835mm
📏	2.0kg
SECTION	4
📏	19,22.4,26,29.5
LEG	22
⬇️	3kg
📦	6pcs
📏	1040mm



MODEL NO.	LT-2000E
📏	590mm
📏	2150mm
📏	590mm
📏	1.60kg
SECTION	4
📏	19,22.4,26,29.5
LEG	11x14mm
⬇️	4kg
📦	10pcs
📏	1000mm



MODEL NO.	LT-2600FP
📏	1060mm
📏	2600mm
📏	910mm
📏	1.80kg
SECTION	3
📏	22.4,26,29.5
LEG	22
⬇️	4kg
📦	6pcs
📏	1060mm



MODEL NO.	DMZ-3000P
📏	1220mm
📏	2830mm
📏	1050mm
📏	2.62kg
SECTION	3
📏	25,30,35
LEG	22mm
⬇️	5kg
📦	6pcs
📏	1240mm





MODEL NO.	MZ-3000FS
	1210mm
	2650mm
	1120mm
	4.54kg
SECTION	3
	25,30,35
LEG	22mm
	10kg
	4pcs
	1120mm



MODEL NO.	MZ-3000S
	1230mm
	2645mm
	1095mm
	4.48kg
SECTION	3
	25,30,35
LEG	22mm
	10kg
	4pcs
	1120mm



MODEL NO.	DMZ-3000FP
	1220mm
	2830mm
	1050mm
	2.62kg
SECTION	3
	25,30,35
LEG	22mm
	5kg
	6pcs
	1240mm



MODEL NO.	DMZ-3800FP
	1260mm
	3650mm
	1075mm
	3.26kg
SECTION	4
	25,30,35,40
LEG	25mm
	5kg
	6pcs
	1240mm



MODEL NO.	DMZ-3800P
	1260mm
	3650mm
	1075mm
	3.26kg
SECTION	4
	25,30,35,40
LEG	25mm
	5kg
	6pcs
	1240mm

■ 迷你桌面直播架



MODEL NO.	DC-101
📏	280mm
📏	480mm
📏	280mm
⚖️	0.94kg
SECTION	3
🌀	10,15,20
LEG	10
⬇️	2kg
📦	1pcs
🌀	300mm



MODEL NO.	DC-102
📏	280mm
📏	480mm
📏	280mm
⚖️	0.88kg
SECTION	3
🌀	10,15,20
LEG	10
⬇️	2kg
📦	1pcs
🌀	300mm



MODEL NO.	DC-103
📏	280mm
📏	480mm
📏	280mm
⚖️	0.91kg
SECTION	3
🌀	10,15,20
LEG	10
⬇️	2kg
📦	1pcs
🌀	300mm

■ 迷你桌面直播架



MODEL NO.	DC-101B
📏	280mm
📏	480mm
📏	280mm
⚖️	0.94kg
SECTION	3
🌀	10,15,20
LEG	10
⬇️	2kg
📦	1pcs
🌀	300mm




MODEL NO.	DC-102B
📏	280mm
📏	480mm
📏	280mm
⚖️	0.88kg
SECTION	3
🌀	10,15,20
LEG	10
⬇️	2kg
📦	1pcs
🌀	300mm



MODEL NO.	DC-103B
📏	280mm
📏	480mm
📏	280mm
⚖️	0.91kg
SECTION	3
🌀	10,15,20
LEG	10
⬇️	2kg
📦	1pcs
🌀	300mm



MODEL NO.	DC-105
📏	280mm
📏	480mm
📏	280mm
⚖️	0.91kg
SECTION	3
🌀	10,15,20
LEG	10
⬇️	2kg
📦	1pcs
🌀	300mm



标配




选配



标配



选配






压块式锁紧

MODEL NO.	CK-1(可拆型)	CK-1-20"
📏	1508mm/60.2"	965mm/38"
👤	2960mm/116.5"	1655mm/65.2"
📏	1315mm/51.8"	780mm/30.7"
⚖️	7.02kg/19.9lbs	7.16kg/15.8lbs
SECTION	3	3
📏	25,30,35 16	25,30,35 16
LEG	30mm	30mm
⚖️	10kg/22.1lbs	10kg/22.1lbs
📦	1pcs	1pcs
📏	1000mm/39.4"	1000mm/39.4"
📏	1000mm/39.4"	500mm/19.7"
👤	2960mm/116.5"	1655mm/65.2"



拉环式锁紧



M11-033

专利：元饼使用凹凸槽专利结构，可90°轻松锁紧，锁紧使用中横杆正反方向都可放心使用。


The patented grip head is designed for easy and tight lock up which you can use for both left and right directions.



DC-001 C架手把



MODEL NO.	DC-1(可拆型)	DC-1-20"
📏	1505mm/60.2"	965mm/38"
👤	2960mm/116.5"	1660mm/65.4"
📏	1315mm/51.8"	780mm/30.7"
⚖️	9.2kg/20.3lbs	7.28kg/16.3lbs
SECTION	3	3
📏	25,30,35 16	25,30,35 16
LEG	30mm	30mm
⚖️	10kg/22.1lbs (1k)	10kg/22.1lbs
📦	1pcs	1pcs
📏	1000mm/39.4"	1000mm/39.4"
📏	1000mm/39.4"	500mm/19.7"
👤	2965mm/116.7"	1660mm/65.4"



MODEL NO.	CK-2(爬梯型)	CK-2-20"
📏	1420mm/55.9"	860mm/33.9"
👤	3260mm/128.3"	1610mm/63"
📏	1420mm/55.9"	860mm/33.9"
⚖️	8.4kg/18.6lbs	6.1kg/13.3lbs
SECTION	3	3
📏	25,30,35 16	25,30,35 16
LEG	30mm	30mm
⚖️	10kg/22lbs	10kg/22lbs
📦	1pcs	1pcs
📏	1000mm/39.4"	1000mm/39.4"
📏	1000mm/39.4"	500mm/20"
👤	3260mm/128.3"	1610mm/63"

MODEL NO.	DC-2(爬梯型)	DC-2-20"
📏	1420mm/55.9"	860mm/33.9"
👤	3260mm/128.3"	1610mm/63"
📏	1420mm/55.9"	860mm/33.9"
⚖️	7.10kg/15.7lbs	5.5kg/12.1lbs
SECTION	3	3
📏	25,30,35 16	25,30,35 16
LEG	30	30mm
⚖️	10kg/22lbs (1k)	10kg/22lbs
📦	1pcs	1pcs
📏	1000mm/39.4"	1000mm/39.4"
📏	1000mm/39.4"	500mm/20"
👤	3260mm/128.3"	1610mm/63"






配M11-015

MODEL NO.	X-01
最低高度	150mm/6"
最高高度	150mm/6"
收缩高度	420mm/16.5"
净重	4.18kg/9.2lbs
SECTION	/
LEG	25x25mm
承重	80kg/176.8lbs
包装	1pcs
展开圆	740mm/29.1"
斜臂最高	3"



MODEL NO.	X-20"	X-30"	X-40"
最低高度	710mm/28"	910mm/36"	1170mm/46"
最高高度	1470mm/58"	2100mm/83"	2700mm/106.3"
收缩高度	610mm/24"	840mm/33"	1140mm/44"
净重	6.9kg/15lbs	7.4kg/16.4lbs	7.88kg/17.4lbs
SECTION	3	3	3
LEG	25,30,35	25,30,35	25,30,35
承重	25x25mm	25x25mm	25x25mm
包装	18kg/39.8lbs	18kg/39.8lbs	18kg/39.8lbs
展开圆	1pcs	1pcs	1pcs
斜臂最高	740mm/29.1"	740mm/29.1"	740mm/29.1"
脚轮	3"	3"	3"



MODEL NO.	COB-01
最低高度	245mm/9.6"
最高高度	245mm/9.6"
收缩高度	435mm/17.1"
净重	4.73kg/10.5lbs
SECTION	/
LEG	25x25mm
承重	80kg/176.8lbs
包装	1pcs
展开圆	880mm/34.6"
斜臂最高	3"



配M11-015



MODEL NO.	COB-02
最低高度	280mm
最高高度	280mm
收缩高度	630mm
净重	7.86kg
SECTION	/
LEG	30*30,25*25mm
承重	20kg
包装	1pcs
展开圆	1220-1920mm
斜臂最高	3"




MODEL NO.	X-03
最低高度	270mm/10.6"
最高高度	270mm/10.6"
收缩高度	435mm/17"
净重	5kg/11.1lbs
SECTION	/
LEG	30x30mm
承重	80kg/176.8lbs
包装	1pcs
展开圆	760mm/30"
斜臂最高	3"



MODEL NO.	X-5
最低高度	1430mm/56.3"
最高高度	3705mm/145.9"
收缩高度	1350mm/53.1"
净重	9.0kg/19.9lbs
SECTION	4
LEG	20,25,30,35
承重	25x25mm
包装	5kg/11lbs
展开圆	2pcs
斜臂最高	740mm/29.1"
脚轮	1920mm/75.6"
	1840mm/72.4"
	3"



MODEL NO.	COB-20"	COB-30"	COB-40"
最低高度	820mm/32.3"	1075mm/42"	1270mm/50"
最高高度	1570mm/61.8"	2195mm/86"	2810mm/116"
收缩高度	610mm/24"	900mm/35"	1000mm/39.4"
净重	7.0kg/15.5lbs	7.3kg/16.1lbs	8kg/17.7lbs
SECTION	3	3	3
LEG	25,30,35	25,30,35	25,30,35
承重	25x25mm	25x25mm	25x25mm
包装	18kg/39.8lbs	18kg/39.8lbs	18kg/39.8lbs
展开圆	1pcs	1pcs	1pcs
斜臂最高	880mm/34.6"	880mm/34.6"	880mm/34.6"
脚轮	3"	3"	3"



■ 带脚轮底座灯架



MODEL NO.	MF-6800
📏	350mm
📏	350mm
📏	530mm
📏	4.1kg
SECTION	/
📏	/
LEG	20x40mm
📏	30kg/66 lbs
📏	2pcs
📏	1100mm
📏	3"




MODEL NO.	DMF-1000F
📏	680mm/26"
📏	1000mm/39"
📏	680mm/26"
📏	2.88kg/6.3lbs
SECTION	3
📏	35,40,45
LEG	
📏	10kg/22lbs
📏	4pcs
📏	



MODEL NO.	MYC-1017B
📏	935mm/36.8"
📏	1670mm/65.7"
📏	930mm/36.6"
📏	8.8kg/19.4lbs
SECTION	3
📏	35,40,45
LEG	25x25mm
📏	40kg/88lbs (4k)
📏	2pcs
📏	1060mm/41.7"




MODEL NO.	MYD-0020
📏	925mm/36"
📏	2200mm/86.6"
📏	940mm/37"
📏	5.50kg/12.1 lbs
SECTION	3
📏	25,30,35
LEG	20x20mm
📏	10kg/22 lbs (1k)
📏	2pcs
📏	950mm/37"



MODEL NO.	MYD-0030	MYD-0035
📏	1225mm/48"	1410mm/55.6"
📏	3000mm/118"	3500mm/138"
📏	1100mm/43"	1230mm/48"
📏	6.76kg/15 lbs	7.80kg/17 lbs
SECTION	4	4
📏	20,25,30,35	20,25,30,35
LEG	20x20mm	20x20mm
📏	10kg/22 lbs (1k)	10kg/22 lbs (1k)
📏	4pcs	4pcs
📏	1265mm/50"	1265mm/50"

MODEL NO.	MYD-0040
📏	1530mm/62.3"
📏	4000mm/157.5"
📏	1355mm/53.3"
📏	9.1kg/20.1 lbs
SECTION	4
📏	20,25,30,35
LEG	20x20mm
📏	10kg/22 lbs (1k)
📏	4pcs
📏	1265mm/50"

MODEL NO.	DMF-3400F
📏	1560mm/61.4"
📏	3315mm/130.5"
📏	1440mm/55.1"
📏	9.78kg/21.6lbs
SECTION	3
📏	30,35,40
LEG	25mm
📏	40kg/88lbs (4k)
📏	2pcs
📏	1300mm/51.2"



MODEL NO.	MYD-0040B
📏	1445mm/56.9"
📏	4370mm/172"
📏	1240mm/48.8"
📏	4.85kg/10.7lbs
SECTION	4
📏	20,25,30,35
LEG	20x20mm
📏	5kg/11lbs (4k)
📏	2pcs
📏	1274mm/50"






拉环式锁紧



MODEL NO.	MYC-1010
📏	580mm/22.8"
📏	960mm/37.8"
📏	580mm/22.8"
📏	5.1kg/11.3 lbs
SECTION	2
📏	40,45
LEG	25x25mm
📏	40kg/80 lbs (2.5k)
📏	2pcs
📏	620mm/24.4"




MODEL NO.	MYC-1011
📏	655mm/25.7"
📏	1150mm/45.3"
📏	655mm/25.7"
📏	7.1kg/15.7 lbs
SECTION	2
📏	40,45
LEG	25x25mm
📏	40kg/80 lbs (2.5k)
📏	2pcs
📏	870mm/34.4"

MODEL NO.	MYC-1020
📏	1145mm/45.1"
📏	2260mm/89"
📏	1075mm/42.3"
📏	9.2kg/20.3 lbs
SECTION	3
📏	35,40,45
LEG	25x25mm
📏	40kg/88 lbs (4k)
📏	1pcs
📏	1200mm/24"



MODEL NO.	MYC-1016
📏	840mm/33.1"
📏	1570mm/61.8"
📏	865mm/34"
📏	7.98kg/17.6 lbs
SECTION	2
📏	35,40,45
LEG	25x25mm
📏	40kg/80 lbs (2.5k)
📏	2pcs
📏	1080mm/42.5"



MODEL NO.	MYC-1035
📏	1645mm/64.8"
📏	3590mm/141.3"
📏	1390mm/54.7"
📏	12.3kg/27.2 lbs
SECTION	3
📏	35,40,45
LEG	25x25mm
📏	40kg/88 lbs (4k)
📏	1pcs
📏	1440mm/56.7"



MODEL NO.	MYC-1045
📏	1760mm/69.3"
📏	4810mm/189.4"
📏	1495mm/58.9"
📏	14.5kg/32 lbs
SECTION	4
📏	30,35,40,45
LEG	25x25mm
📏	40kg/88 lbs (4k)
📏	1pcs
📏	1440mm/56.7"





MODEL NO.	MYC-3058
📏	1900mm/75"
📏	5800mm/228.3"
📏	1900mm/75"
📏	18.9kg/42 lbs
SECTION	4
📏	30,35,40,45
LEG	25x25mm
📏	10kg/22 lbs
📏	1pcs
📏	1600mm/63"
📏	4"



拉环式锁紧




压块式锁紧

MODEL NO.	MYB-1017B
📏	935mm/36.8"
📏	1670mm/65.7"
📏	930mm/36.6"
📏	8.8kg/19.4lbs
SECTION	3
📏	35,40,45
LEG	25x25mm
📏	40kg/88lbs (4k)
📏	2pcs
📏	1060mm/41.7"




MODEL NO.	MYB-1020
📏	1145mm/45.1"
📏	2245mm/88.4"
📏	1080mm/42.5"
📏	8.6kg/19.0lbs
SECTION	3
📏	35,40,45
LEG	25x25mm
📏	40kg/88lbs (4k)
📏	1pcs
📏	1200mm/24"



MODEL NO.	MYB-1035
📏	1700mm/66.9"
📏	3605mm/141.9"
📏	1450mm/57.1"
📏	11.3kg/25lbs
SECTION	3
📏	35,40,45
LEG	25x25mm
📏	40kg/88lbs (4k)
📏	1pcs
📏	1600mm/63"



MODEL NO.	MYB-1045
📏	1565mm/62"
📏	4598mm/181"
📏	1570mm/61.8"
📏	12.8kg/28.3 lbs
SECTION	4
📏	30,35,40,45
LEG	25x25mm
📏	40kg/88 lbs (4k)
📏	1pcs
📏	1600mm/63"



MODEL NO.	MYC-3065
📏	1950mm/76.8"
📏	6300mm/248"
📏	1995mm/78.5"
📏	23.7kg/52.4 lbs
SECTION	4
📏	35,40,45,50
LEG	30x30mm
📏	20kg/44 lbs
📏	1pcs
📏	2040mm/80.3"



可选配:



M11-036F

6"脚轮

6" Swiveling Casters are optional



MODEL NO.	MYB-3058
	1900mm/75"
	5800mm/228.3"
	1900mm/75"
	19.7kg/43.5lbs
SECTION	4
	30,35,40,45
LEG	25x25mm
	10kg/22 lbs
	1pcs
	1600mm/63"



压块式锁紧



MODEL NO.	MYB-3065
	1950mm/76.8"
	6300mm/248"
	2150mm/84.6"
	23.4kg/51.7lbs
SECTION	4
	35,40,45,50
LEG	30x30mm
	20kg/44 lbs
	1pcs
	2040mm/80.3"



可选配:



M11-036F

6"脚轮

6" Swiveling Casters are optional

■ 铝质天地撑杆

备注: 4款产品均可做成银色

The following model numbers are silver

M15-1350S/M15-2480S/M15-3800S/M15-4200S

MODEL NO.	M15-1350
	950mm/37"
	1350mm/53"
	950mm/37"
	1.86kg/4lbs
SECTION	2
	∅ 40,45
LEG	/
	15kg/33lbs
	2sets






MODEL NO.	M15-3800
	2200mm/87"
	3800mm/150"
	2200mm/87"
	3.1kg/7lbs
SECTION	2
	∅ 40,45
LEG	/
	15kg/33lbs
	2sets



MODEL NO.	M15-2480
	1520mm/60"
	2480mm/98"
	1520mm/60"
	2.4kg/5lbs
SECTION	2
	∅ 40,45
LEG	/
	15kg/33lbs
	2sets

MODEL NO.	M15-4200
	2400mm/94"
	4200mm/165"
	2400mm/94"
	3.5kg/7.7lbs
SECTION	2
	∅ 40,45
LEG	/
	15kg/33lbs
	2sets



■ 快锁斜臂杆



MODEL NO.	L-2516
📏	1230mm
📏	2210mm
📏	1230mm
📏	5.33kg
SECTION	2
📏	25,30
📏	10kg
📏	

■ 钢质斜臂杆



MODEL NO.	L-1126
📏	1220mm
📏	2160mm
📏	1210mm
📏	4.18kg
SECTION	2
📏	25,30
📏	5kg
📏	

MODEL NO.	L-1126C
📏	1210mm
📏	2200mm
📏	1210mm
📏	3.22kg
SECTION	2
📏	25,30
📏	5kg
📏	



MODEL NO.	L-2516A
📏	1215mm
📏	2210mm
📏	1215mm
📏	5.98kg
SECTION	2
📏	30,35
📏	15kg
📏	



MODEL NO.	L-1118
📏	1245mm/49"
📏	2100mm/83"
📏	1245mm/49"
📏	4.16kg/9.2lbs
SECTION	2
📏	30,35
📏	5kg/11lbs
📏	

MODEL NO.	L-1120
📏	1080mm
📏	2325mm
📏	960mm
📏	4.13kg
SECTION	3
📏	25,30,35
📏	5kg
📏	

■ 铝制加强手摇斜臂

颜色：黑色
Color: Matt Black



配MB-18
Comes with 1-1/8 to 5/8 adapter



MODEL NO.	DL-1023
📏	2160mm/85"
📏	3700mm/147.7"
📏	2160mm/85"
📏	16.6kg/36.7lbs
SECTION	2
📏	45,55
📏	10kg/22 lbs(1k)
📏	1pcs

■ 钢制加强手摇斜臂

颜色：银色、灰黑色
Color: Silver, Matt Black



配MB-18
Comes with 1-1/8 to 5/8 adapter



MODEL NO.	DL-1123
📏	2220mm/87.4"
📏	3710mm/146"
📏	2220mm/87.4"
📏	24.6kg/54.4lbs
SECTION	2
📏	40,50
📏	20kg/44.2lbs(4k)
📏	1pcs



■ 钢质双用加强斜臂灯架



拉环式锁紧



- 特性: 1.灯架可为普通灯架使用, 也可打斜伸长, 作为斜臂架使用
2.斜臂可取出, 作为手握杆使用
3.锁紧手柄可调节角度, 使之更适用于用力锁紧

Specifications:

1. The stand is multi-purpose, it can be used as a combo stand, or the first center column can be pulled out and used for over-head mounting.
2. The boom arm can be detached to use as a single pole
3. The big ratcheted handle can adjust its angle for easier grip.

MODEL NO.	DM-6
📏	1490mm/59"
📏	4080mm/161"
📏	1420mm/56"
📏	18.8kg/41.4lbs
SECTION	5
📏	25,30,35,40,45
LEG	25x25mm
📏	10kg/22lbs(1k)
📏	1pcs
📏	1200mm/47"
📏	1875mm/74"
📏	2280mm/90"
📏	4"



MODEL NO.	DM-8
📏	1680mm/66"
📏	5320mm/209"
📏	1720mm/68"
📏	22.1kg/48.7lbs
SECTION	5
📏	25,30,35,40,45
LEG	25x25mm
📏	10kg/22lbs(1k)
📏	1pcs
📏	1440mm/57"
📏	2400mm/94"
📏	3000mm/118"
📏	4"



可选配:



M11-036B
脚轮(25*25mm)
25/25 Locking Wheel Set
3.78

MODEL NO.	DM-9
📏	1910mm/75.2"
📏	4920mm/193.7"
📏	1665mm/65.6"
📏	15.68kg/34.6lbs
SECTION	5
📏	30,35,40,45
LEG	25x25mm
📏	15kg/33.1lbs
📏	1pcs
📏	1440mm/56.7"
📏	2640mm/103.9"
📏	3200mm/126"

可选配:



M11-036F
6"脚轮
6" Swiveling Casters are optional

MODEL NO.	DM-10
📏	1750mm/68.9"
📏	5500mm/216.5"
📏	1780mm/70.1"
📏	28kg/61.9lbs
SECTION	5
📏	30,35,40,45,50
LEG	30x30mm
📏	20kg/44lbs(2.5k)
📏	1pcs
📏	1600mm/53"
📏	2400mm/94"
📏	3200mm/126"



■ 小型手摇架



MODEL NO.	M-6	M-8
📏	1490mm/59"	1680mm/66"
📏	4080mm/161"	5320mm/209"
📏	1420mm/56"	1720mm/68"
📏	18.4kg/40.7lbs	22.1kg/48.7lbs
SECTION	5	5
📏	25,30,35,40,45	25,30,35,40,45
LEG	25x25mm	25x25mm
📏	10kg/22lbs(1k)	10kg/22lbs(1k)
📏	1pcs	1pcs
📏	1200mm/47"	1440mm/57"
📏	1875mm/74"	2400mm/94"
📏	2280mm/90"	3000mm/118"
📏	4"	4"



压块式锁紧



可选配:



M11-036F

6"脚轮

6" Swiveling Casters are optional

MODEL NO.	M-10
📏	1750mm/68.9"
📏	5500mm/216.5"
📏	1780mm/70.1"
📏	27.4kg/60.5lbs
SECTION	5
📏	30,35,40,45,50
LEG	30x30mm
📏	20kg/44lbs(2.5k)
📏	1pcs
📏	1600mm/53"
📏	2400mm/94"
📏	3200mm/126"

MODEL NO.	MFC-1500D
📏	1000mm/39.4"
📏	1550mm/61"
📏	1120mm/44.1"
📏	14kg/30.9lbs
SECTION	2
📏	40,50
LEG	30mm
📏	50kg/110.5lbs
📏	1pcs
📏	1100mm/43.3"



■ 小型手摇架

专利：Z字型专利结构，使灯架在展开或收缩时脚轮与地面都处于平整状态

The "Z" shape caster support connector is designed for moving the stand under folded and operate situation.

MODEL NO.	MFC-2200D
📏	1400mm/55"
📏	2200mm/86.6"
📏	1635mm/64.3"
📏	28.4kg/62.7lbs
SECTION	2
🌀	40,50
LEG	30x30mm
⬇️	40kg/88.4lbs (6K)
📦	1pcs
📏	1540mm/60.6"
🌀	6"

MODEL NO.	MFC-2800D
📏	1700mm/66.9"
📏	2800mm/110.2"
📏	1935mm/76.1"
📏	30.6kg/67.6lbs
SECTION	2
🌀	40,50
LEG	30x30mm
⬇️	40kg/88.4lbs (6K)
📦	1pcs
📏	1540mm/60.6"
🌀	6"



■ 小型手摇架



MODEL NO.	MFC-2950D
📏	1560mm/61.4"
📏	2560mm/100.8"
📏	1790mm/70.5"
📏	34kg/75.1lbs
SECTION	2
🌀	50,60
LEG	30x30mm
⬇️	50kg/110lbs (9k)
📦	1pcs
📏	1540mm/60.6"
🌀	6"

MODEL NO.	MFC-3950D
📏	1760mm/69.3"
📏	3620mm/142.5"
📏	1990mm/78.4"
📏	39.1kg/86.4lbs
SECTION	3
🌀	40,50,60
LEG	30x30mm
⬇️	50kg/110 lbs (9k)
📦	1pcs
📏	1540mm/60.6"
🌀	6"



■ 中型手摇架



MODEL NO.	MFE-1700
📏	980mm/38.6"
📏	1730mm/68"
📏	980mm/38.6"
📏	26.5kg/58.6lbs
SECTION	2
📏	60, 70
LEG	30x30mm
📏	80kg/176lbs (12k/18k)
📏	1pcs
📏	1100mm/43"
📏	6"



MODEL NO.	MFE-4000
📏	1820mm/71.6"
📏	3810mm/150"
📏	1970mm/77.6"
📏	49kg/10.8 lbs
SECTION	3
📏	50, 60, 70
LEG	30x30mm
📏	65kg/143.7 lbs (12k/18k)
📏	1pcs
📏	2200mm/86.6"
📏	8"

■ 中型手摇架



MODEL NO.	MFE-5800
📏	1970mm/77.6"
📏	5120mm/201.6"
📏	2110mm/83"
📏	57kg/126lbs
SECTION	4
📏	40, 50, 60, 70
LEG	30x30mm
📏	60kg/132.2 lbs (6k/9k)
📏	1pcs
📏	2200mm/87"
📏	8"



■ 重型不锈钢影视手摇架



MODEL NO.	MFD-1700
📏	980mm/38.6"
📏	1730mm/68"
📏	980mm/38.6"
⚖️	28kg/61.6lbs
SECTION	2
📏	60,70
LEG	30x30mm
⚖️	80kg/176lbs (12k/18k)
📦	1pcs
📏	1100mm/43"
📏	6"

■ 重型不锈钢影视手摇架

MODEL NO.	MFD-3000
📏	1400mm/55"
📏	2900mm/114"
📏	1530mm/60"
⚖️	50kg/110 lbs
SECTION	3
📏	70,80,90
LEG	30x30mm
⚖️	65kg/143.7 lbs (12/18k)
📦	1pcs
📏	2200mm/87"
📏	8"



■ 重型不锈钢影视手摇架



MODEL NO.	MFD-4000
📏	1550mm/61"
📏	4060mm/160"
📏	1860mm/73"
⚖️	60.2kg/132lbs
SECTION	4
📏	60,70,80,90
LEG	30x30mm
⚖️	65kg/143.7 lbs (12/18k)
📦	1pcs
📏	2200mm/87"
🛞	8"



■ 重型不锈钢影视手摇架



MODEL NO.	MFD-6000
📏	1860mm/73"
📏	5650mm/222"
📏	2130mm/84"
⚖️	82kg/181.2lbs
SECTION	5
📏	50,60,70,80,90
LEG	30x30mm
⚖️	65kg/143.7 lbs (12/18k)
📦	1pcs
📏	2200mm/87"
🛞	8"



叉式架组装配件

使用管径38mm



CS-01



CS-02



CS-03



CS-04



CS-20
叉式架支撑座
夹管间距: 19~24cm
12.46kg



CS-10



CS-11



CS-12



CS-13



CS-14



CS-15



CS-16




CS-17



CS-18



CS-19



配MB-10



配M11-032

支撑斜臂灯架

特性: 可在角落处使用, 少占空间

Specification: The stand is designed to use in limited space



MODEL NO.	G-1
最低高度	1410mm/56"
最高高度	2100mm/83"
收缩高度	1760mm/69"
净重	18.45kg/40.7lbs
SECTION	5
管径	30,35,40
LEG脚管	25x25cm
承重	10kg/22lbs
包装	1pcs
展开圆	1600mm/63"
斜臂总长	2500mm/98"
斜臂最高	2100mm/83"



MODEL NO.	G-2
最低高度	1410mm/56"
最高高度	2100mm/83"
收缩高度	1760mm/69"
净重	17.5kg/39lbs
SECTION	5
管径	30,35,40
LEG脚管	25x25cm
承重	10kg/22lbs
包装	1pcs
展开圆	1600mm/63"
斜臂总长	2500mm/98"
斜臂最高	2100mm/83"




不锈钢旗板
Flag Panel Stainless Steel



HB-2836SS 28*36" (70x90cm)
HB-4848SS 48*48" (120x120cm)


配格子柔光布
Fabric:Soft



HB-2836A 28*36" (70x90cm)
HB-4848A 48*48" (120x120cm)

配柔光布、金、银、黑、白五合一
Soft ,gold,silver,black,white based on customer need

铝合金扁框旗板
Flag Panel Aluminum Alloy



HB-2436 24*36" (60x90cm)
HB-4848 48*48" (120x120cm)

弧形扁框旗板
Aluminum Curved Flag Panel



HB-2536B
25*36" (64x90cm)
配格子柔光布
Fabric:Soft

弧形不锈钢旗板
Stainless Steel Curved Flag Panel



HB-2536S
25*36" (64x90cm)
配格子柔光布
Fabric:Soft



MODEL NO.	HD-2400A
⌀	2400 x 2400mm
⌈	1250mm
⚖	12.65kg
⊙	28x28mm

可选配2支支撑灯架
Suggested: MF-7060A



MF-7060A




MODEL NO.	HD-3600A
⌀	3600 x 3600mm
⌈	1800mm
⚖	15.33kg
⊙	28x28mm

可选配2支支撑灯架
Suggested: MF-7070A



MF-7070A



配格子柔光布
Fabric:Soft





MODEL NO.	HF-1800	HF-2400	HF-3600
⊗	1800 x 1800mm	2400 x 2400mm	3600 x 3600mm
⊗	1800mm	2400mm	2400mm
⊗	9.10kg	12.1kg	16.8kg
⊗	25x25mm	25x25mm	25x25mm

配格子柔光布
Fabric:Soft

可选配快拆支撑座





HG-25




MODEL NO.	HE-1800	HE-2400	HE-3600
⊗	1800 x 1800mm	2400 x 2400mm	3600 x 3600mm
⊗	1800mm	2400mm	2400mm
⊗	9.10kg	12.1kg	16.8kg
⊗	25x25mm	25x25mm	25x25mm

配格子柔光布
Fabric:Soft




MODEL NO.	HG-3600
⊗	3600 x 3600mm
⊗	1350mm
⊗	21.1kg
⊗	30 x 30mm

配格子柔光布
Fabric:Soft



MODEL NO.	HG-2400
⊗	2400 x 2400mm
⊗	1350mm
⊗	15.2kg
⊗	30 x 30mm

配格子柔光布
Fabric:Soft



MODEL NO.	HD-3600B
长*宽*高	3600 x 3600mm
管径	1800mm
净重	32.6kg
管径	44mm

配格子柔光布
Fabric:Soft
* 可订制其他尺寸
Custom made is available

■ 苹果箱



MODEL NO.	MB-61
长*宽*高	500*300*100mm
净重	2.48kg



MODEL NO.	MB-62
长*宽*高	500*300*200mm
净重	3.38kg



MODEL NO.	MB-63
长*宽*高	500*300*300mm
净重	4.7kg




MODEL NO.	DK-001
长*宽*高	1000*710*1200mm
净重	65kg
承重	200kg
管径	10"



MODEL NO.	DK-004
长*宽*高	1500*710*1820mm
净重	80kg
承重	300kg
管径	8"

MODEL NO.	DK-002
长*宽*高	750*600*1490mm
Ⓢ	35kg
⬇	150kg
Ⓢ	6", 8"



可放14支魔术腿
14 C-Stand

MODEL NO.	DK-002A
长*宽*高	750*600*1490mm
Ⓢ	35.9kg
⬇	150kg
Ⓢ	6", 8"



可放14支魔术腿
14 C-Stand



MODEL NO.	DK-005
长*宽*高	1250*540*1230mm
Ⓢ	105kg
⬇	300kg
Ⓢ	8"



可装20只钢腿
20 Combo Stand

MODEL NO.	DK-007
长*宽*高	1265*660*1230mm
Ⓢ	78kg
⬇	200kg
Ⓢ	6"



可装18支钢腿，卡口50mm
18 Combo Stand, with 50mm hanger

MODEL NO.	DK-003
长*宽*高	1250*540*1210mm
Ⓢ	58.5kg
⬇	200kg
Ⓢ	8"



MODEL NO.	DK-006
长*宽*高	1040*830*330mm
Ⓢ	44.5kg
⬇	150kg
Ⓢ	8"



MODEL NO.	DK-009
长*宽*高	1280*540*980mm
Ⓢ	49.4kg
⬇	150kg
Ⓢ	8"




MODEL NO.	DK-010
长*宽*高	1150*670*1860mm
Ⓢ	54kg
⬇	200kg
Ⓢ	8"






可装20只魔术腿, 卡口37mm
20 C-Stand, with 37mm hanger

MODEL NO.	DK-008
长*宽*高	1030*690*1430mm
Ⓢ	47.8kg
⬇	200kg
Ⓢ	6"



可装24只魔术腿, 卡口37mm
24 C-Stand, with 37mm hanger

MODEL NO.	DK-008A
长*宽*高	1100*740*1100mm
Ⓢ	52.5kg
⬇	300kg
Ⓢ	6"



MODEL NO.	DK-014
长*宽*高	1450*700*1870mm
Ⓢ	97.5kg
⬇	200kg
Ⓢ	8"



可挂14条魔术腿 9条钢腿
6条04腿
Multi-purpose Cart: 14 C-Stands,
9 Combo Stands, 6 Aluminum
Stands

MODEL NO.	DK-015
长*宽*高	1180*690*1530mm
Ⓢ	61kg
⬇	200kg
Ⓢ	8"



笼车
Cable Cart

A flat plate is detachable for water-proof situation
(placing on top of the cart) or dividing different kinds
of cables(placing in the middle of the cart)

MODEL NO.	DK-011
长*宽*高	1100*830*1750mm
Ⓢ	88.5kg
⬇	200kg
Ⓢ	8"



可装24只04脚, 卡口27mm
24 Aluminum Stand, with 27mm
hanger

MODEL NO.	DK-012
长*宽*高	900*700*1300mm
Ⓢ	41.3kg
⬇	200kg
Ⓢ	6"



可8支钢腿, 18支魔术腿, 8支04腿,
20个旗板

Multi-purpose Cart: 8 C-Stands,
18 Combo Stands, 8 Aluminum Stands

MODEL NO.	DK-018
长*宽*高	1180*690*1530mm
Ⓢ	61kg
⬇	200kg
Ⓢ	8"

